

MFP 30

HARDWARE

- Tool changer with 24 positions
- 5 or 6-axis system
- Spindle speeds up to 12,000 rpm
- Driving power: 26 kW from 1750 rpm
- Torque: 140 Nm
- Grinding, milling and drilling in a single clamping
- Through-spindle coolant
- C.O.R.E. Panel

SOFTWARE

- Pre-programmed grinding and dressing cycles
- User-specific programmable interface
- Intuitive operation
- Focus on work and production safety
- C.O.R.E. OS operating system

DIMENSIONS

- X-axis longitudinal stroke: 500 mm
- Y-axis vertical stroke: 450 mm
- Z-axis transverse stroke: 500 mm

The compact MFP 30 5-axis grinding center from MÄGERLE is ideally suited for grinding complex geometries, particularly those of blades and vanes or heat shields for aviation turbines. The workpieces to be machined are ergonomically loaded into the work area directly from the front. Heavy workpieces with a clamping fixture can be loaded from the top using a crane. The compact and space-saving design allows optimal use of the available production area and enables an effective production flow.

The powerful drive of the high-performance spindle enables different grinding processes to be combined, such as creep feed grinding with aluminum oxide or grinding with CBN. The full performance and a high torque are available even at low spindle speeds. The robust tool hol-

ding fixtures enable wide machining contours to be achieved, together with high removal rates. The grinding process can use emulsion or oil. The high-performance spindle offers optimal machining conditions for demanding grinding and high speed milling processes in a single clamping.

Like the larger models from MÄGERLE the MFP 30 also comes equipped with a vertical axis supported by hydrostatic guideways, enabling it to withstand high stresses free of wear throughout its lifetime.

Easy access for servicing and maintenance work supports the excellent ergonomics of the MÄGERLE grinding center.

YOUR BENEFIT

- Compact design
- Automatic tool changer
- Flexible machining options
- Highest grinding and cooling capacity
- Powerful drive for high speeds
- Table dressing device with wide profile roll
- Hydrostatic guideways
- Intuitive, user-friendly, and efficient operation
- Access to important information directly at the control panel (e.g. production progress, task details, etc.)
- Use of UNITED GRINDING
 Digital Solutions™ products directly on
 the machine
- Fast support thanks to direct interaction with our Customer Care team on the machine




C.O.R.E. — CUSTOMER ORIENTED REVOLUTION


With C.O.R.E., we make your production fit for the digital future.

The C.O.R.E. system from UNITED GRINDING is a future-oriented hardware and software platform that takes the operation, networking and digitalization of machine tools to a new level.

C.O.R.E. was developed to make our machines and your production environment fit for the digital industry of tomorrow. Operation is simple and intuitive via the multi-touch display, with a modern and customizable

user interface. Thanks to the standardized hardware and software architecture, all UNITED GRINDING machines equipped with C.O.R.E. technology are network-compatible and can be easily integrated into digital factories. All common interface formats are supported. C.O.R.E.'s modern IoT technology core also enables data-based value-added services and integration and communication with cloud-based customer platforms.





C.O.R.E. PANEL & HMI — NEXT-GENERATION MACHINE OPERATION

Like a large smartphone

With C.O.R.E., UNITED GRINDING has redefined the interaction between man and machine tool. Modern design combined with the most advanced technology to meet the operator requirements of tomorrow. The 24» multi-touch display enables navigation by touch and swipe gestures, similar to a smartphone. The uniform HMI for all UNITED GRINDING machines facilitates set-up, operation and general maintenance. Customizable user roles enable the display and restriction to role-relevant information and thus increase user-friendliness and safety. With the integrated front camera on the panel, assistance can be provided directly at the machine via Remote Service.

Future-proof

The digital capabilities of your machine with C.O.R.E. technology continue to grow. The C.O.R.E. HMI is continuously being expanded with new functionalities, widgets and apps to make it even more user-friendly and personalizable. The arrangement, type and size of the tiles on the HMI can be customized so that every machine operator always has the information that is important to him or her at a glance.

In future, new software updates and functionalities will be easy to install via the customer portal, so you will always be up to date.





COMPACT DESIGN

The compact MFP 30 5-axis grinding center from MÄGERLE is ideally suited for grinding complex geometries, particularly those of blades and vanes or heat shields for aviation turbines. The workpieces to be machined are ergonomically loaded into the work area directly from the


front. Heavy workpieces with a clamping fixture can be loaded from the top using a crane. The compact and space-saving design allows optimal use of the available production area and enables an effective production flow.



HIGH PERFORMANCE AND HIGH TORQUE

The direct drive motor for the grinding spindle enables high performances and torques across the entire speed range. This leads to outstanding results in terms of removal rates.

The high speeds of up to 12,000 rpm offer optimal conditions for CBN grinding processes and milling operations, which significantly increases the machining clearance for complex workpieces.




S6 = 40% duty cycle

LARGE GRINDING WHEEL DIMENSIONS

The powerful drive is designed for wide grinding wheels up to 60 mm. Operations can thus be combined with wide machining profiles. The maximum diameter of 300 mm allows a long service life of the grinding wheel and reduces the number of grinding wheel changes.

The HSK-B80 flange mountings guarantee a high rigidity, thanks to the generous support on the tool holding fixture via the collar. They are also the key to quick tooling changes with absolute repeatable precision.



AUTOMATIC TOOL CHANGER



The tool changer includes 24 positions. It can be equipped with different grinding wheels according to the process requirements. The grinding process can be supplemented with the machine's drilling and milling capability, which supports a flexible machining platform for complex workpieces. In addition, the magazine can be loaded with a measuring probe which allows for dimensioning or workpiece position checks.














TABLE DRESSING FOR A MULTITUDE OF PROFILES

The large table dressing device enables the mounting of wide diamond rolls with a multitude of machining profiles for different workpieces and makes a significant contribution to minimizing changeover times. The two bearings and the servo motor drive enable reliable dressing across the entire speed range.



WEAR-FREE GUIDE CONCEPT

The unique design principle of MÄGERLE machining centers forms the basis for the overall machine quality. The vertical axis is supported by hydrostatic wrap-around guideways on a thin oil film and is completely separated from the column's upper section. This principle enables the machines to withstand very high stresses free of wear, even in long-term use. The oil film also has a vibration-damping effect and guarantees high-precision machining of simple or complex workpieces.





COOLING INTELLIGENCE

The NC controls of the MÄGERLE grinding centers enable precise positioning of the coolant supply, taking into account the respective grinding wheel geometry. Labyrinth seals with a

the machining area from impurities and contribute to the long working life of the overall system. Integrated grinding wheel cleaning ensu-

sealing air arrangement protect all bearings in res that the grinding wheel remains clean and sharp for longer during the grinding process. This increases removal rates and at the same time reduces grinding wheel wear.



Nozzles are available on the grinding support for drilling and milling tools, and a coolant supply can be optionally provided through the spindle.




COOLANT FILTRATION SYSTEMS

The optimal solution for every application

MÄGERLE considers the grinding process as a system of different components and thus creates the necessary conditions for a high cost effectiveness. The system concept for coolant supply and cleaning is of central importance. Correct design is essential to utilize the full coolant

potential. Taking account of these aspects, MÄGERLE in conjunction with the coolant system supplier matches integrated solutions to the customer-specific requirements.







PROGRAMMING

The grinding center is equipped with the SIEMENS SINUMERIK ONE control. Specially visualized and parameterizable grinding and dressing cycles are available for efficient programming of the workpieces. In

5-axis machining, 3D grinding and auxiliary cycles can be programmed for milling and drilling operations.






CAD/CAM CONNECTION

A SIEMENS NX postprocessor is available for CAM process development. The generated NC programs take account of the MÄGERLE grinding cycles. As a result the programs can be easily edited on the

machine control unit via operator guidance. MÄGERLE provides a Vericut package for simulating and checking the programs.



WE ARE HERE FOR YOU!

Our products are designed to meet customer demands for as long as possible, they are intended to operate efficiently, reliably, and be available at any time.

From «Start up» through to «Retrofit» - our Customer Care is there for you throughout the working life of your machine. For this reason, you can rely on competent HelpLines worldwide and Service Engineers near you:

- We will provide you with fast, straight-forward support.
- We will help to increase your productivity.
- We work professionally, reliably and transparently.
- We will provide a professional solution to your problems.



Start up Commissioning Warranty extension



Qualification Training Product support



Prevention Maintenance Inspection



Service Customer service Customer consultation HelpLine



Digital solutions Remote Service



Material Spare parts Replacement parts Accessories



Rebuild Machine overhaul Assembly overhaul



Retrofit Modifications

Retrofits

DIGITAL SOLUTIONS

Digital Solutions stand for products and services that open up the data space of your machine through IoT-based networking, enable seamless integration across the entire store floor in digital valueadded networks and provide data-based value-added services and digital services – for greater efficiency, productivity and competitiveness.

You can find out more about the services of Digital Solutions on our website under the Customer Care section.



EASE OF OPERATION AND MAINTENANCE

Operation

The machine is operated via the swiveling control panel with a view of the working area in the front of the machine. When the splash guard is opened, heavy workpieces including clamping fixtures can also be loaded from the top with a gantry or jib crane.

- ① Working area
- ② Splash guard opened at the top
- 3 Tool changer loading



Maintenance


Access for maintenance of the respective units and components of the entire machine is centrally positioned and designed to make maintenance easy. Periodic maintenance activities can thus be efficiently performed.

- ① Electric cabinet
- ② Fluidics and pneumatics
- 3 Central lubrication




LAYOUT

- ① Working area
- ② Quick-change spindle for machining tools
- 3 Automatic coolant nozzles
- ④ NC indexing head 2/3 axes
- ⑤ Dressing device
- 6 Tool gripper
- ① Automatic door drive
- 8 Electrical cabinet
- Hydrostatic/Hydraulic unit







- 10 Tool change magazine
- 11 Safety splash guard cabin
- 1 Interface to coolant processing system
- Interface to mist extractor
- (4) Centralized lubricating system
- 15 Machine status lamp
- (6) Operating panel

TECHNICAL DATA FOR MFP 30

X-axis	longitudinal stroke	mm	500
	travel speed	mm/min	050.000
Y-axis	vertical stroke	mm	450
	travel speed	mm/min	030.000
Z-axis	transverse stroke	mm	500
	travel speed	mm/min	030.000
Power grinding wheel drive S6-40% duty cycle		kW	26
Rpm range max.		min ⁻¹	012.000
Quick-clamping spindle		type	HSK-B80
Tool changer positions		n	24
Tool length max.		mm	180
Profile dressing device, roll width, max.		mm	307
Profile dressing device, roll diameter, max.		mm	200
Grinding wheel dimensions (D x T x H)		mm	300 x 60 x 76,2
NC-combination – rotary/swivel axes		n/axes	2/3
Measuring system wir	th measuring probe (optional)		

MÄGERLE AG MASCHINENFABRIK

Precision, quality and flexibility are key attributes of the products manufactured by Mägerle AG Maschinenfabrik. A technology leader for high-performance surface and profile grinding systems, the company founded in 1929 primarily specializes in customized solutions.

At the heart of the international success of our high-quality Swiss machinery is the unique design principle of the MÄGERLE modular system. Thanks to state-of-the-art technology, MÄGERLE can offer customers from many branches of industry reliable grinding centers. The high machining precision of the grinding centers custom special-purpose machines ensures that our customers remain competitive.

Alongside decades of accumulated expertise, our highly motivated and dedicated employees play a key role in the success of the company. As part of the UNITED MACHINING SOLUTIONS, MÄGERLE is a strong member of the group of globally leading machinery engineering companies for grinding machines. All over the world, this gives MÄGERLE customers access to an extensive network of experienced service and engineering technicians.




UNITED MACHINING SOLUTIONS

UNITED MACHINING SOLUTIONS is one of the largest machine tool manufacturers in the world. With around 5,000 employees at over 50 global production, service and sales locations, UNITED MACHINING SOLUTIONS is close to its customers and highly efficient. The group is organized into two divisions: UNITED GRINDING and UNITED MACHINING.

UNITED GRINDING includes the brands MÄGERLE, BLOHM, JUNG, STUDER, SCHAUDT, MIKROSA, WALTER, EWAG and IRPD. Its technologies include surface and profile grinding machines, cylindrical grinding machines, machines for tool machining and machine tools for additive manufacturing.

The UNITED MACHINING division includes the brands AGIE CHARMILLES, CHARMILLES, MIKRON MILL, LIECHTI, STEP TEC and SYSTEM 3R. It includes machines for EDM (Electrical Discharge Machining), high-speed milling and laser technology as well as spindle production and automation solutions.

«We want to make our customers even more successful»





Mägerle AG Maschinenfabrik Allmendstrasse 50 CH-8320 Fehraltorf Tel. +41 43 355 66 00 sales@maegerle.com

maegerle.com

